

Construction Site Stormwater Management - Quiz

Project Name _____
Company Name _____
Contact Name _____ Title _____
Cell # _____ Quiz Score _____% Excal Video _____ NWA Video _____

The following questions all have multiple choice answers. Please circle the best answer for each question.

- ❖ **What do you call the devices and structures present at construction sites that prevent stormwater pollution?**
 - BLTs
 - HGTVs
 - EPAs
 - BMPs

- ❖ **Which of the following are types of stormwater control measures?**
 - Erosion control measures
 - Sediment control measures
 - Waste management measures
 - All the above

- ❖ **A SWPPP must be submitted to DEQ for all sites, no matter the size of disturbance.**
 - True
 - False

- ❖ **The SWPPP is a legal contract to meet EPA and DEQ requirements.**
 - True
 - False

- ❖ **How do most sediment control BMPs like silt fence work?**
 - By slowing water to allow sediments to settle out of runoff
 - As a filter
 - By scraping mud off construction equipment and vehicle tires
 - By preventing exposure of materials to stormwater

- ❖ **Where should cement trucks wash out after delivering their load?**
 - Anywhere on the construction site
 - In the nearest stream or creek
 - At the designated wash out area
 - At a commercial car wash

- ❖ **Only sites that are more than 5 acres require a NOC (Notice of Coverage) to be posted onsite.**
 - True
 - False

- ❖ **Why must BMP structures, like silt fence and wattles, be trenched in?**
 - To prevent runoff from flowing underneath it
 - To better hold the stakes in place
 - So it cannot be easily pulled out of the ground
 - So it stays in place during high winds

- ❖ **Local jurisdictions that have municipal stormwater permits may require additional permitting procedures beyond ADEQ requirements.**
 - True
 - False

- ❖ **How often must you inspect your construction site?**
 - At least once every day
 - At least once every month
 - At least once every 7 days OR at least once every 14 days and within 24 hours of the end of a ¼" rain event, depending on what is listed in the site's SWPPP
 - Only prior to inspection by my local MS4 representative